Boyle, et al. U.S. Application No. 09/545,283

the sequence of SEQ ID NOS:4 or 6, or sequences 99% and 90% identical thereto.

Rejection of Claim 31 under 35 U.S.C. §112, second paragraph

The Examiner stated that the non-entered amendment to claim 31 would be sufficient to overcome the rejection if a clean version of said claim is included. Consistent with the Examiner's recommendation, Applicants attach herewith a Clean Version of the Claims.

Rejection of Claims 30 and 32 under 35 U.S.C. §112, first paragraph

The Examiner rejected claims 30 and 32 under 35 U.S.C. § 112, first paragraph, for asserted lack of written description, specifically with reference to the description of an isolated polypeptide comprising an amino acid sequence that is 99% identical (claim 30) and 90% identical (claim 32) to the amino acid sequence of SEQ ID NO:4 or SEQ ID NO:6. Applicants have cancelled claims 30 and 32. Thus, Applicants respectfully submit that the Examiner's rejection is moot to claims 30 and 32, and respectfully request withdrawal of the rejection.

CONCLUSION

On the basis of the foregoing amendments and remarks, Applicants respectfully submit that the pending claims are in condition for allowance, and a Notice of Allowance is respectfully requested as soon as possible. If there are any questions regarding these amendments and remarks, or if further discussion would expedite allowance of the claims, the Examiner is encouraged to contact the undersigned at the telephone number provided below.

Respectfully submitted,

Date: November 5, 2002

Luisa Bigornia

Attorney for Applicants Registration No.: 45,974

HYSEQ, INC.

670 Almanor Avenue Sunnyvale, CA 94085

(408) 524-8100

(408) 524-8145 (Telefacsimile)

Boyle, et al. U.S. Application No. 09/545,283

Appendix A: marked up version showing the changes made in the claims

In the Claims:

Please cancel claims 30 and 32, and amend claim 31, as follows:

31. (Amended) An isolated polypeptide encoded by [the]a polynucleotide comprising the sequence of SEQ ID NO:3.

Application No. 097545,283
Appplicant(s): Boyle et al.
Title: Methods and Materials Relating to Novel C-type Lectin Receptor-like Polypeptides

and Polynucleotides

Corrected Version of the Drawings

Application No. 09/545,283 Applicant(s): Boyle et al.

Title: Methods and Materials Relating to Novel C-type Lectin Receptor-like Polypeptides

2

and Polynucleotides

C-TYPE LECTIN RECEPTOR-LIKE WITH MOUSE MACROPHAGE C-TYPE LECTIN

BLASTP ALIGNMENT OF

1.2e-37 H Д 1.2e-37, (145.0 bits), Expect = 412 Score = 4 П Frame (55%), Positives = 119/21585/215 (39%), 11 Identities EEPQDREKGLWWFQLKVWSMAVVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQY 234 64 555 Receptor-Like: C-Type Lectin

4

NO.

SEQ ID

KG + 周

7 김 H H++ **** + $C_{\overline{\mathrm{H}}}$ ΓS AVVSI ŎΓ

9 EESQMKSKGTRHPQLIPCVFAVVSISFLSACFISTCLVTHHYFLRWTRGSVVKLSDY---Macrophage C-Type Lectin: 46235 HSSLTCVME----GKDIEDWSCCPTPWTSFQSSCYFISTGMQSWTKSQKNCSVMGADLVV 462120

Q+W +S++NCS M W +FQS+CYF W+CCP r 口 +1C+

C-Type Lectin Receptor-Like:

NO.

SEQ ID

120 HTRVTCIREEPQPGATGGTWTCCPVSWRAFQSNCYFPLNDNQTWHESERNCSGMSSHLVT 61 Macrophage C-Type Lectin: FT1645 INTTEEHDFIIHNLKRNSSYFLGLSHPRGRRHWQWVDHTPYNENVTFWHSGEPNN-LDER 121 463 NO. SEQ ID

Receptor-Like: C-Type Lectin 4

SYFLGL+

Н

+ 단 +

团

INI

日 + +

‡

E

ΕW

WQWVD TP+N

INTEAEQNFVTQLLDKRFSYFLGLADENVEGQWQWVDKTPFNPHTVFWEKGESNDFMEED 180 121 Macrophage C-Type Lectin:

180580 CAIINFRSSQEWGWNDIHCHVPHKSICEMKKIYIYMKYS 696218 SEQ ID NO.

S ĸ Н + IC++ CH CINM M++ + J

C-Type Lectin Receptor-Like:

181 CVVL-VHVHEKWVWNDFPCHFEVRRICKLPGITFNWKPS 218 Macrophage C-Type Lectin:

Application No. 09/545,283 Applicant(s): Boyle et al.

Title: Methods and Materials Relating to Novel C-type Lectin Receptor-like Polypeptides

and Polynucleotides

C-TYPE LECTIN RECEPTOR-LIKE WITH DENDRITIC CELL IMMUNORECEPTOR

OF.

BLASTP ALIGNMENT

4.8e-50 П д (186.2 bits), Expect = 4.8e-50, 529 Score = + 11 Frame (869) Positives = 130/18893/188 (49%), II Identities 2 b 418 VVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQYHSSLTCVMEGKDIED--WSCC 2918° Receptor-Like: C-Type Lectin 4 NO.

WSCC + 田 + + H++L CV + М П + × $\stackrel{+}{\triangleright}$ + LLL++ F LIFFLLLAISFFIAFVI----FFQKYSQLLEKKTTKELVHTTLECVKKNMPVEETAWSCC 106 51 Immunoreceptor:

Cell

PTPWTSFQSSCYFISTGMQSWTKSQKNCSVMGADLVVINTTEEHDFIIHNLKRNSSYFLG 474 14'3 SH 292 C-Type Lectin Receptor-Like

NO NO

SEQ ID

Dendritic

SEQ ID

S+YF+GNL+ DFI 띰 S+K+C+ M A L+VINT SW S+CYFIST SF ⋈ щ

166 Dendritic Cell Immunoreceptor: 107 PKNWKSFSSNCYFISTESASWQDSEKDCARMEAHLLVINTQEEQDFIFQNLQEESAYFVG 144 472 LSHPRGRRHWQWVDHTPYNENVTFWHSGEPNNLDERCAIINFRSS-QEWGWNDIHCHVPH 648 202 SEQ ID NO.

+ WGWIND++C മ EP++ +ERC ++NFR TFWH G+RHWQWVD TPYNE+ Д ĽS Receptor-Like

C-Type Lectin

226 Immunoreceptor: 167 LSDPEGQRHWQWVDQTPYNESSTFWHPREPSDPNERCVVLNFRKSPKRWGWNDVNCLGPQ Dendritic Cell

203 649 KSICEMKKIYI 681-213 C-Type Lectin Receptor-Like

SEQ ID

+S+CEM KI++

227 RSVCEMMKIHL 237 Dendritic Cell Immunoreceptor:

C-TYPE LECTIN RECEPTOR-LIKE WITH C-TYPE LECTIN DDB27

Application No. 09/545,283 Applicant(s): Boyle et al.

Title: Methods and Materials Relating to Novel C-type Lectin Receptor-like Polypeptides

and Polynucleotides

(69%), Frame 4.8e-50 = 130/188Д 4.8e-50, Positives H (186.2 bits), Expect 93/188 (49%), Score = 529

Identities

SEQ ID

DDB27

OF

BLASTP ALIGNMENT

 $2\omega_{448}$ WSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQYHSSLTCVMEGKDIED--WSCC 291 53 Lectin 4

H++L CV × П 멏 1+ + ᄺ LLL++ Receptor-Like:

WSCC

+ 田 +

LIFFLLLAISFFIAFVI----FFQKYSQLLEKKTTKELVHTTLECVKKNMPVEETAWSCC 106

S+YF+GNL+ DFI 띮 M A L+VINT S+K+C+ SW S+CYFIST SF 3 Receptor-Like

Lectin

C-Type

DDB27:

NO.

166 PKNWKSFSSNCYFISTESASWQDSEKDCARMEAHLLVINTQEEQDFIFQNLQEESAYFVG 107

+ WGWIND++C ഗ ++NFR +ERC EP++ TFWH P G+RHWQWVD TPYNE+ Ę, Receptor-Like

C-Type Lectin

DDB27:

NO.

SEQ ID

226 LSDPEGQRHWQWVDQTPYNESSTFWHPREPSDPNERCVVLNFRKSPKRWGWNDVNCLGPQ 167

263649 KSICEMKKIYI 68±2/3 SEQ ID NO. 4 C-Type Lectin

Receptor-Like:

-S+CEM KI++

237 RSVCEMMKIHL 227

DDB27

Application No. 09/545,283 Applicant(s): Boyle et al. Title: Methods and Materials Relating to Novel C-type Lectin Receptor-like Polypeptides C-TYPE (CALCIUM DEPENDENT, CARBOHYDRATE RECOGNITION DOMAIN) LECTIN RECEPTOR-LIKE, SUPERFAMILY MEMBER BLASTP ALIGNMENT OF

= 1.8e-41Д Score = 448 (157.7 bits), Expect = 1.8e-41,

Polynucleotides

٠,

+ П = 130/209 (62%), Frame Positives 92/209 (44%), II Identities

C-Type Lectin Receptor-Like: NO. SEQ ID

349 PEEEP-QD-REKGLWWFQLKVWSMAVVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLRE 222-6

84 PREKPIRDLRKPGSP---SLLLTSLMLL-LLLLAITFLVAFIIYFQ-KYSQLLEEKKAAKN

+ YS+

+

+LLL++ F V+

ς †

П

U Ŗ‡

7

E+D

29

Mouse C-Type

Receptor-Like C-Type Lectin NO. SEQ ID

SW H CXØ ĪΞι 3 WSCCP

U

Н

KS++NCS MGA

انا 1944 A YQQYHSSLTCVMEGKDIED--WSCCPTPWTSFQSSCYFIST--GMQSWTKSQKNCSVMGA 394 الإنام 1944 المارية

IM--HNELNCTKSVSPMEDKVWSCCPKDWRLFGSHCYLVPTVSSSASWNKSEENCSRMGA 142

Mouse C-Type

85

DLVVINTTEEHDFIIHNLKRNSSYFLGLSHPRGRRHWQWVDHTPYNENVTFWHSGEPNNL 570-174 17.391

Receptor-Like C-Type Lectin NO. SEQ ID

E++TFWH+GEP++ R WOWVD TPY ტ +++XF+GL Д LVVI + EE DFI

201 HLVVIQSQEEQDFITGILDTHAAYFIGL-WDTGHRQWQWVDQTPYEESITFWHNGEPSSG 143

Mouse C-Type:

DERCALINFRSSQEWGWNDIHCHVPHKSICEMKKI 675211 17574

Receptor-Like

Lectin

NO.

SEQ ID C-Type Mouse C-Type:

KS+C+MKKI WGWINDI C + I +R +E+CA NEKCATIIYRWKTGWGWNDISCSLKQKSVCQMKKI

236